

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO34234 All Receipt Dates All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Total Received Quantity:	37.00000
Total Qty to Inspect (PO U/M):	0.00000
Total Reject Quantity:	0.00000
Total Receipt Value:	\$484.26
Total Balance Due Quantity:	0.00000

BILL OF LADING

Ship From:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 17380
 Ship Date 11Nov16 at 10:44 From PFW
 Probill
 Via O/T
 FOB CONCORD
 Frt PREPAID
 Route 0- 0 Manifest
 Vhcle Trailer
 Slp STAN IVERS (905-532-1350)
 Sold To: (20115)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7

Ship To: (1)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7
 Tel: 613-632-9577 Fax: 613-632-1053

BILL OF LADING

1) Our Order PEC-986359- 1 Your PO # 34234

ALUMINUM FLAT BAR 6061-T6511

1.00" x 6.00" X 144.0000"

Heat Number

201616951

Tag No

588658

Quantity

12 FT

PCS

1

Wt LBS

86

2) Our Order PEC-986359- 2 Your PO # 34234

ALUMINUM FLAT BAR 6061-T6511

1.250" x 2.00" X 144.0000"

Heat Number

201616184

Tag No

588659

Quantity

12 FT

PCS

1

Wt LBS

36

3) Our Order PEC-986359- 3 Your PO # 34234

Part # * OFFERING

Rel #

ALUMINUM FLAT BAR 6061-T6511

3.00" X 4.00" X 144.0000"

Heat Number

201617405

Tag No

588660

Quantity

12 FT

PCS

1

Wt LBS

171

TOTAL:

Tags

3

PCS

3

LBS

293

Heat Number

201616951

201617405

*** Chemical Analysis ***

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
 WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR

Page: 1Continued

NOV 11 2016

DAS
26
9-89

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

B I L L O F L A D I N G

No: PEC 17380

Ship From:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 11Nov16 at 10:44 From PFW
 Probill
 Via O/T
 FOB CONCORD
 Frt PREPAID
 Route 0- 0 Manifest
 Vhcle Trailer
 Slp STAN IVERS (905-532-1350)
 Sold To: (20115)
 DART AEROSPACE

Ship To: (1)
 DART AEROSPACE

B I L L O F L A D I N G

TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
 ** REFERENCED ON IT **

TOTAL 1 BDL GW. 305 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
 CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
 ADDED TO EVERY ORDER.***

***UNE SURCHARGE D'ENERGIE DE \$25.00

SERA AJOUTEE A CHAQUE COMMANDE.***

***POUR VOS BESOINS D'ACIER INOXYDABLE,

CONTACTEZ-NOUS. NOUS L'AVONS! TEL. 800-926-2600

Page: 2 Last

ALUMINIUM • CAIION • CUIVRE • PLASTIQUE • ACIER INOX
 ALUMINIUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511

1.00" x 6.00" x 144.0000"

PART NO.

PO/REL 34234

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-017380-001

11 Nov 16

Pg 1/1



Can Do.

Service Center Metals

5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS



BILL TO

ThyssenKrupp Materials NA-Concord, ON

SHIP TO

ThyssenKrupp Materials NA-Concord, ON

Quantity Certified 4,531 lbs 53 pcs

MANIFEST NUMBER

310622

CUSTOMER PO

PEC-277638

CUSTOMER PART NUMBER

MRB1826

DIE NUMBER

MRB1826

ALLOY / TEMPER

6061-T6511

DESCRIPTION

MQRB 1.000x6.000

DATE OF SHIPMENT

10/12/2016

SALES PERSON

D. Schroeder (Canada)

OUR ORDER NUMBER
272639

ITEM

6

CERTIFICATION

ASTM-B221-14 StencilCont

SPECIFICATION

AMS-QQA-200/8 Rev-A

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6.

This product is RoHS-2, REACH, and DFARS compliant.

Mechanical Properties

Tests Lot No.

4 201615637
2 201616951

Test Date

9/7/16
10/3/16

Ultimate Tensile Strength (KSI)

min max
50.10 51.30
48.20 49.70

Yield Strength (KSI)

min max
46.30 47.60
44.30 46.30

Percent Elongation

min max
12.40 17.90
17.60 18.15

9/16/13

Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Others	Total	Melt Source:
05151601	201615637	6061	0.73	0.37	0.30	0.10	0.86	0.08	0.07	0.02	97.47	0.05	0.15	United States of America
08301601	201615637	6061	0.77	0.36	0.32	0.11	0.91	0.08	0.07	0.02	97.36	0.05	0.15	United States of America
09241605	201616951	6061	0.72	0.35	0.30	0.08	0.89	0.11	0.07	0.02	97.46	0.05	0.15	United States of America

SCM products are melted and extruded in the USA

Calvin L. Wiggins

Print Date: 10/12/2016

Calvin L. Wiggins, Director of Quality & Technical Services

PO/Ref 34234

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:



Service Center Metals

5850 Quality Way
Prince George, VA 23875

Can Do.

BILL TO

ThyssenKrupp Materials NA-Concord, ON

SHIP TO

ThyssenKrupp Materials NA-Concord, ON

Quantity Certified 3,078 lbs 18 pcs

MANIFEST NUMBER

310823

CUSTOMER NO

PEC-278361

CUSTOMER PART NUMBER

MRB0470

DIE NUMBER

MRB0470

ALLOY/TEMPER

6061-T6511

DESCRIPTION

MQRB 3.000x4.000

DATE OF SHIPMENT

10/13/2016

SALES PERSON

D. Schroeder (Canada)



OUR ORDER NUMBER
275416

ITEM
1

CERTIFICATION

ASTM-B221-14 Stencil Cont

SPECIFICATION

AMS-QQA-200/8 Rev-A

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. Items produced and certified as 6061-T6511 also meet the requirements of 6061-16
This product is RoHS-2, REACH, and DFARS compliant.

Mechanical Properties

Tests Lot No.

DAS

9

9-89

2 201617405

Test Date

10/7/16

Ultimate Tensile Strength (KSI)

min 49.20

max 50.60

Yield Strength (KSI)

min 45.40

max 47.20

Percent Elongation

min 15.00

max 17.50

Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Others		Melt Source
											Each	Total	
1K161003Y	201617405	6061	0.74	0.38	0.32	0.11	0.95	0.10	0.05	0.02	0.05	0.15	United States of America
1M160926C	201617405	6061	0.76	0.37	0.32	0.10	0.89	0.10	0.04	0.03	0.05	0.15	United States of America
1M161004L	201617405	6061	0.74	0.37	0.31	0.10	0.87	0.10	0.05	0.02	0.05	0.15	United States of America

SCM products are melted and extruded in the USA

Calvin J. Wiggins

Calvin J. Wiggins, Director of Quality & Technical Services

Print Date: 10/13/2016



Can Do.

Service Center Metals

5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS



OUR ORDER NUMBER	ITEM
272639	1

BILL TO	MANIFEST NUMBER	DIE NUMBER	DATE OF SHIPMENT	CERTIFICATION
SHIP TO	CUSTOMER PO	ALLOY / TEMPER	SALESPERSON	
ThyssenKrupp Materials NA-Concord, ON	310815	MRB1792	10/13/2016	ASTM-B221-14 StencilCont
ThyssenKrupp Materials NA-Concord, ON	PEC-277638	6061-T6511	D. Schroeder (Canada)	SPECIFICATION
Quantity Certified 4,315 lbs 121 pcs	CUSTOMER PART NUMBER	DESCRIPTION		AMS-QQA-200/8 Rev-A
	MRB1792	MQRB 1.250x2.000		

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. This product is RoHS-2, REACH, and DFARS compliant.

Mechanical Properties

Tests	Lot No.	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
3	201616184	9/20/16	min 49.20 max 51.20	min 45.60 max 47.30	min 12.95 max 14.20
6	201617706	10/13/16	min 51.40 max 51.90	min 47.90 max 48.60	min 15.15 max 17.25

SCM products are melted and extruded in the USA

Calvin J. Wiggins

Calvin J. Wiggins, Director of Quality & Technical Services

Print Date: 10/13/2016

Rev 9/8/16



Can Do.

Service Center Metals

5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS



OUR ORDER NUMBER	ITEM
272639	1

BILL TO	MANIFEST NUMBER	DIE NUMBER	DATE OF SHIPMENT	CERTIFICATION
ThyssenKrupp Materials NA-Concord, ON	310815	MRB1792	10/13/2016	ASTM-B221-14 StencilCont
SHIP TO	CUSTOMER PO	ALLOY / TEMPER	SALESPERSON	SPECIFICATION
ThyssenKrupp Materials NA-Concord, ON	PEC-277638	6061-T6511	D. Schroeder (Canada)	AMS-QQA-200/8 Rev-A
Quantity Certified	4,315 lbs	CUSTOMER PART NUMBER		
	121 pcs	MRB1792		
		DESCRIPTION		
		MQRB 1.250x2.000		

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6.

This product is RoHS-2, REACH, and DFARS compliant.

Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Others		Melt Source:
											Each	Total	
08271604	201616184	6061	0.78	0.35	0.30	0.10	0.92	0.08	0.06	0.02	0.05	0.15	United States of America
08301601	201616184	6061	0.77	0.36	0.32	0.11	0.91	0.08	0.07	0.02	0.05	0.15	United States of America
09091604	201616184	6061	0.74	0.34	0.30	0.10	0.86	0.09	0.10	0.02	0.05	0.15	United States of America
1K160930C	201617706	6061	0.74	0.37	0.33	0.10	0.88	0.10	0.03	0.03	0.05	0.15	United States of America
1K160930Y	201617706	6061	0.74	0.37	0.32	0.10	0.88	0.09	0.03	0.03	0.05	0.15	United States of America
1K161006D	201617706	6061	0.72	0.37	0.31	0.10	0.90	0.10	0.03	0.03	0.05	0.15	United States of America

SCM products are melted and extruded in the USA

Calvin J. Wiggins

Calvin J. Wiggins, Director of Quality & Technical Services

Print Date: 10/13/2016

Rev 3/8/16

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6B2.750x3750

PO / BATCH NO.: P034734 / M136103

DATE: 16-11-14

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12
 QUANTITY INSPECTED: 12
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3.00
 THICKNESS RECEIVED: 3.00
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	ASTM B221
CORRECT REF # TO LINK CERT	(Y) N	201612405
CORRECT MATERIAL IDENTIFICATION	(Y) N	M6061T6B 3.00x4.00
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>9</u>	SIGNED OFF BY: _____		
DATE: <u>16-11-14</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: ML06176 B1.00x6.00

PO / BATCH NO.: 34234/136108

DATE: 11/6/13

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 1.00

QUANTITY RECEIVED: 12

THICKNESS RECEIVED: 1.030

QUANTITY INSPECTED: 12

SHEET SIZE ORDERED: _____

QUANTITY REJECTED: _____

SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>6061T6</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y N	<u>1.030</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>A45-QQA-200/8</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	<u>HEAT# 201616951</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	<u>ML06176 B1.00x6.00</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	<u>M36108</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u>	SIGNED OFF BY: _____
DATE: <u>11/6/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 B2.00X1.25

PO / BATCH NO.: 34234/136108

DATE: 16/11/13

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 1.25

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: 1.25

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: _____

QUANTITY REJECTED: _____

SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>M6061T6</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y N	<u>1.250</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	<u>HEAT # 2011616184</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	<u>M6061T6 B2.00X1.25</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	<u>M136108</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: _____ DATE: _____	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34234**

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 1 of 3

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

NOV 08 2016

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone

Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6B1.000X16.000	6061-T6 Bar 1.00 x 16.00	11/18/2016 Yes 11/18/2016		12.00 f	\$49.91	\$598.90

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

2	M6061T6B1.000X06.000	6061T6 BAR 1.00 X 6.00	11/14/2016 Yes 11/14/2016		12.00 f	\$15.41	\$184.90
---	----------------------	------------------------	---------------------------------	--	------------	---------	----------

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$598.90

Line Total: \$184.90

Note:

11/8/2016

NOV 11 2016

DAS
26
9-89



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34234

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 2 of 3

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

3	M6061T6B2.000X01.250	6061-T6 Bar 2.00 x 1.25	11/14/2016	12.00		
			Yes	f	\$8.25	\$99.00
			11/14/2016			

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$99.00

4	M6061T6B2.750X03.750	6061-T6 BAR 2.75 X 3.75	11/14/2016	12.00		
			Yes	f	\$30.46	\$365.50
			11/14/2016			

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

NOTE: 6061-T6 BAR 3" X 4" ACCEPTABLE AS PER JEAN-LUC

NOV 11 2016

9-89

Line Total: \$365.50

Note:

11/8/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34234**

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 3 of 3

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB FCA – (Free Carrier)

5	71401-45	PROCUREMENT QUALITY CLAUSES	11/14/2016	1.00	\$0.00	\$0.00
---	----------	--------------------------------	------------	------	--------	--------

No

Procurement Quality Clauses

11/14/2016

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

Line Total: \$0.00

PO Total: \$1,248.30

W
CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 11/8/2016